



NEVER COMPROMISE

2021 PRODUCT CATALOG

Decades of Unmatched Quality and Performance in Wood Floor Finishes.



GLITSA, YOUR SOURCE FOR QUALITY

Glitsa floor finishing products have evolved through a rich history since the early 1950s. Glitsa products are manufactured in Seattle, Washington under our flagship, Rudd Company, a name synonymous with quality in the coatings and wood finishing industry for over 100 years.

Widely known for our signature Gold Seal System which boasts superior wear-resistance and a stunning depth of clarity, the Glitsa brand has grown through the years to include quality, eco-friendly waterbornes, performance-tested oil-modified polyurethane finishes, as well as superior maintenance products.

In keeping with our tradition of unsurpassed quality and innovation, we at Glitsa continue to evolve. Integrating cutting-edge research & development and exhaustive testing ensures the Glitsa name will persist in offering professional contractors and homeowners the very finest wood floor finishing products available.

CONTENTS

1-3	Conversion Varnish
4-5	Waterborne
6	Oil-Modified Polyurethane
7	Filler
8	Maintenance
9	Tools & Accessories
11	VOC Regulations



SEALERS

**Bacca Sealer**

Packaging:	Quart, Gallon, 5-Gallon Pail
VOC:	Compliant
Coverage Rate:	300 - 350 sq ft per gallon
Dry Time:	Overnight
Color:	Amber
Application Method:	Brush, Roller, Mop, T-Bar
Product Code:	310395.00-04 Quart 310395.00-01 Gallon 310395.00-05 5-Gallon Pail

- Two-component sealer, acid catalyst
- Excellent open time
- Dries well in high humidity, high temperature environments
- Excellent Adhesion
- Brings out vivid color of wood, especially exotics

For Use Under

- Gold Seal - Lite Scent
- MultiKote - Glitsa Poly 500

SYSTEMS

1 coat Bacca + 1 coat Gold Seal or Lite Scent for a traditional natural Swedish look that shows grain definition

2 coats Bacca + 1 coat Gold Seal or Lite Scent for less grain definition, higher build look

1 coat Bacca + 1 or 2 coats Glitsa Poly 500

1 coat Bacca + 1 or 2 coats MultiKote

**Glitsa Sealer™**

Packaging:	Quart, Gallon, 5-Gallon Pail
VOC:	Compliant
Coverage Rate:	300 - 350 sq ft per gallon
Dry Time:	2 - 4 hours
Color:	Amber
Application Method:	Brush, Roller, Mop, T-Bar
Product Code:	310109.00-04 Quart 310109.00-01 Gallon 310109.00-05 5-Gallon Pail

- Two-component sealer, acid catalyst
- Higher solids than Bacca Sealer
- 2 coats in one day
- Excellent Adhesion
- Brings out vivid color of wood, especially exotics

For Use Under

- Gold Seal - Lite Scent - MultiKote - GlitsaMax 2
- Bare - Elite 1k - Infinity II - Glitsa Pro

SYSTEMS

1 coat Glitsa Sealer + 1 coat Gold Seal or Lite Scent for a traditional natural Swedish look that shows grain definition

2 coats Glitsa Sealer + 1 coat Gold Seal, Lite Scent or MultiKote for a higher build look

2 coats Glitsa Sealer and 1 to 2 coats any Glitsa waterborne finish

I've been using Glitsa over 20 years. I don't use anything else. I'm making a difference in people's lives and I like seeing the way a beautiful floor can make a home. That's why I only use the best. – Chris Maskill, Lifetime Hardwood Floors Inc.

TOPCOATS



Gold Seal[®] Finish

Packaging: Quart, Gallon, 5-Gallon Pail
 VOC: Compliant
 Coverage Rate: 350 - 400 sq ft per gallon
 Dry Time: 4 -5 hours
 Color: Clear
 Application Method: Brush, Roller, Mop, T-Bar

Product Codes:

651753.00 Gloss (> 90) 651754.00 Semi-Gloss (40-45)
 651755.00 Satin (32-36) 651756.00 Matte (18-22)

- Single component, precatalyzed, acid catalyst topcoat
- Only one topcoat recommended
- Do not recoat for 90 days, unless using Lite Scent or MultiKote
- Do not apply over bare wood or stain
- Only use over conversion varnish coatings
- Excellent Adhesion
- Superior Clarity
- Excellent wear resistance due to its flexibility and scratches clear

For Use Over - Bacca - Glitsa Sealer - MultiKote

SYSTEMS

1 coat Bacca or Glitsa Sealer + 1 coat Gold Seal for a traditional natural Swedish look that shows grain definition

2 coats Bacca or Glitsa Sealer + 1 coat Gold Seal for less grain definition, higher build look

1 or 2 coats MultiKote + 1 coat Gold Seal for a high build system that has been before the topcoat is applied



Gold Seal Lite Scent[®] Finish

Packaging: Quart, Gallon, 5-Gallon Pail
 VOC: Compliant
 Coverage Rate: 350 - 400 sq ft per gallon
 Dry Time: 4 -5 hours
 Color: Clear
 Application Method: Brush, Roller, Mop, T-Bar

Product Codes:

651768.00 Gloss (> 90) 651769.00 Semi-Gloss (40-45)
 651770.00 Satin (32-36) 651771.00 Matte (18-22)

- Single component, precatalyzed, acid catalyst topcoat
- Only one topcoat recommended
- Can recoat over itself or Gold Seal after 48 hours if an extra is desired. If recoating to repair, extended dry times may be required.
- Do not apply over bare wood or stain
- Only use over conversion varnish coatings
- Excellent Adhesion
- Superior Clarity
- Excellent wear resistance due to its flexibility and scratches clear

For Use Over - Bacca - Glitsa Sealer - MultiKote

SYSTEMS

1 coat Bacca or Glitsa Sealer + 1 coat Lite Scent for a traditional natural Swedish look that shows grain definition

2 coats Bacca or Glitsa Sealer + 1 coat Lite Scent for less grain definition, higher build look

1 or 2 coats MultiKote + 1 coat Lite Scent for a high build system that has been before the topcoat is applied



Gold Seal[®] Aerosol

Packaging: 12 oz. Can
 Product Code: 911647.00-12 Semi-Gloss
 911648.00-12 Satin

- Touch up for minor scratches
- Use for repairs
- Not for large areas
- Do not apply over bare wood or stain

**MultiKote™ Swedish Finish**

Packaging: Quart, Gallon, 2.5-Gallon Pail, 5-Gallon Pail
 VOC: Compliant
 Coverage Rate: 300 - 400 sq ft per gallon
 Dry Time: 2 - 4 hours
 Color: Pale Amber
 Application Method: Brush, Roller, Mop, T-Bar

Product Codes:

310303.GL Gloss (>85) 310303.HSG High Semi-Gloss (50-55)
 310303.ST Satin (28-33) 310303.MT Matte (18-22)

- Two-Component, acid catalyzed topcoat
- Self sealing system
- High build system with sheen
- Only use over conversion varnish coatings
- Can be applied over Gold Seal or Lite Scent for repairs after one week
- 2 coats in one day
- Excellent adhesion
- Superior clarity
- Excellent durability
- Brings out color of wood, especially exotic species

For Use Under - MultiKote - Gold Seal - Lite Scent

For Use Over - MultiKote - Bacca - Glitsa Sealer

SYSTEMS

3 coats MultiKote for a high-build look

1 or 2 coats MultiKote + 1 coat Gold Seal or Lite Scent

**Platinum™ Plus Finish**

Packaging: Quart, Gallon, 5-Gallon Pail
 VOC: Compliant
 Coverage Rate: 300 - 400 sq ft per gallon
 Dry Time: 2 hours to touch, 4-5 hours to recoat
 Color: Pale Amber
 Application Method: Roller, Mop, T-Bar

Product Codes:

310770.HSG High Semi-Gloss (50-55) 310770.ST Satin (30-35)
 310770.MT Matte (18-22)

- Zero-Formaldehyde
- Odors dissipate more quickly after dried
- Two-Component, acid catalyzed topcoat
- Self-sealing system – only use over itself
- High build system with sheen
- 2 Coats in a day
- Excellent adhesion
- Superior clarity
- Excellent durability
- Brings out color of wood, especially exotic species

For Use Under - Platinum Plus - GlitsaMax 2

For Use Over - Platinum Plus

SYSTEMS

2 coats Platinum Plus Swedish finish

3 coats Platinum Plus Swedish finish for a high-build look

2 coats Platinum Plus Swedish finish + 1 coat GlitsaMax 2

**Glitsa Retarder**

Packaging: Quart, Gallon

Product Codes: 450696.00-04 Quart
 450696.00-01 Gallon

In hot dry climates, Glitsa Retarder may be added to Glitsa conversion varnish sealers and topcoats to lengthen open time and aid flow.

- Use 1 - 3 ounces per gallon as needed, maximum 8 ounces

For Use In - Bacca - Glitsa Sealer - Gold Seal - Lite Scent - MultiKote - Platinum Plus

SEALERS

TruSeal™ Waterborne Sealer



Packaging: Gallon
 VOC: Compliant
 Coverage Rate: 400 - 600 sq ft per gallon
 Dry Time: 1 - 1.5 hours to touch 3 - 4 hours to coat
 Color: Clear when dry
 Application Method: T-Bar, Roller, Pad
Product Code: 270075.00-01
For Use Under - Infinity NxG - GlitsaMax 2 - Bare - Elite 1k

- Single component
- Hot coating is acceptable (for best results, abrade)
- No bubbling
- No waste
- Use 1 to 2 coats over white oak

SYSTEMS

1 coat TruSeal + 2 to 3 coats any Glitsa waterborne finish

2 coats TruSeal + 1 to 2 coats of any Glitsa Waterborne finish

TOPCOATS

Infinity™ NxG Residential & Light Commercial Waterborne Finish



Packaging: Gallon
 VOC: Compliant
 Coverage Rate: 500 - 600 sq ft per gallon
 Dry Time: 1 - 2 hours to touch 3 - 5 hours to coat
 Color: Amber
 Application Method: T-Bar, Roller, Pad, Mop
Product Codes: 270135.80-01 Gloss (80)
 270135.50-01 Semi-Gloss (50 - 55)
 270135.30-01 Satin (30 - 35)
 270135.15-01 Matte (15 - 20)

For Use Over - Infinity NxG - TruSeal - Elite 1k
 - Glitsa Sealer - Glitsa Poly Quick Dry Sealer

- Single component, no waste
- Optional crosslinker, CrossLink™
- 100% urethane formula, making Infinity NxG very durable
- Light Amber
- Excellent chemical resistance
- Self-sealing system
- Abrades great, powders up without loading up abrasives
- LEED v4.1 compliant
- Great open time, flow and level

SYSTEMS

3 coats Infinity NxG finish

1 coat TruSeal +
2 to 3 coats Infinity NxG finish

1 to 2 coats TruSeal +
1 to 2 coats Infinity NxG finish

2 coats Infinity NxG +
1 coat GlitsaMax 2 finish

2 coats Glitsa Sealer + 1 to 2
coats Infinity NxG for hybrid
system

1 coat Glitsa Poly Quick Dry
Sealer + 2 coats Infinity NxG
finish

Elite 1k™ Waterborne Finish



Packaging: Gallon
 VOC: Compliant
 Coverage Rate: 400 - 500 sq ft per gallon
 Dry Time: 1 - 2 hours to touch, 3 - 5 hours to coat
 Color: Clear
 Application Method: T-Bar, Roller, Pad
Product Codes: 270130.GL-01 Gloss (80)
 270130.SG-01 Semi-Gloss (50-55)
 270130.ST-01 Satin (30-35)
 270130.MT-01 Matte (15-20)

For Use Over - Elite 1k - TruSeal - Glitsa Sealer - Glitsa Poly Quick Dry Sealer

- Clear finish
- Single-Component
- Self-sealing system
- No tannin pull
- Excellent adhesion
- Superior clarity
- Excellent durability

SYSTEMS

3 coats Elite 1k finish

1 coat TruSeal +
2 or 3 coats Elite 1k finish

1 or 2 coats Glitsa Pro +
1 or 2 coats Elite 1k finish

1 or 2 coats Elite 1k finish +
1 or 2 coats GlitsaMax 2 finish

2 coats Glitsa Sealer +
1 or 2 coats Elite 1k finish

1 coat Glitsa Poly Quick Dry
Sealer + 2 coats Elite 1k finish

GlitsaMax™ 2 Commercial Waterborne Finish

Packaging: Gallon
 VOC: Compliant
 Coverage Rate: 350 - 450 sq ft per gallon
 Dry Time: 2 - 3 hours to touch 5 hours to coat
 Color: Clear when dry
 Application Method: T-Bar, Roller, Pad

Product Codes: 270112.SG-01 Semi-Gloss (50 - 55)
 270112.ST-01 Satin (30 - 35)
 270112.UM-01 Ultra Matte (10 - 15)

For Use Over - TruSeal - Elite 1k - Infinity NxG
 - Glitsa Sealer - Glitsa Poly Quick Dry Sealer

- Two-component finish (IsoCyanate crosslinker)
- Superior durability, excellent taber results
- Superior stain and chemical resistance
- Polycarbonate resin for superior impact resistance
- Excellent adhesion
- LEED v4.1 compliant

SYSTEMS

1 coat TruSeal + 2 to 3 coats of GlitsaMax 2 finish

2 coats TruSeal + 1 to 2 coats GlitsaMax 2 finish

2 coats Infinity NxG + 1 coat GlitsaMax 2 finish

2 coats Glitsa Sealer + 1 to 2 coats GlitsaMax 2 finish for hybrid system

1 coat Glitsa Poly Quick Dry Sealer + 2 coats GlitsaMax 2 finish

Glitsa Bare™ Commercial Waterborne Finish

Packaging: Gallon
 VOC: Compliant
 Coverage Rate: 350 - 450 sq ft per gallon
 Dry Time: 2 - 3 hours to touch 5 hours to coat
 Color: Clear when dry
 Application Method: T-Bar, Roller, Pad

Product Code: 270113.05 (3-5)

For Use Over - TruSeal - Elite 1k
 - Glitsa Sealer

- Two-Component (Isocyanate crosslinker)
- Exceptionally low sheen
- Silky-smooth feel
- Minimizes burnishing
- Crystal clear
- Excellent durability and stain resistance
- Excellent flow and leveling properties
- Excellent adhesion
- The look of bare wood

SYSTEMS

1 coat TruSeal + 2 Glitsa Bare

2 coats Glitsa Sealer + 1 or 2 coats Glitsa Bare finish

1 coat Glitsa Quick Dry Sealer + 2 coats Glitsa Bare finish

ACCESSORIES**CrossLink™ Optional Crosslinker for Glitsa single-component finishes**

Packaging: 4 Fluid Oz.

Product Code: 03-701-04G

CrossLink is an optional crosslinker for the final coats Glitsa single-component finishes.

- Speeds up full cure time
- Increases already excellent chemical resistance and anti-abrasion qualities
- Once mixed, product will have 6 - 8 hour pot life

For Use In - Infinity NxG and Elite 1k finishes

SEALERS



Glitsa Poly Quick Dry™ Sealer

Packaging:	Quart, Gallon, 5-Gallon Pail
VOC:	Max 550 grams per liter
Coverage Rate:	500 - 600 sq ft per gallon
Dry Time:	2 hours to touch 4 hours to recoat
Color:	Amber
Application Method:	Brush, T-Bar, Roller, Pad
Product Code:	500949.00-04 Quart 500949.00-01 Gallon 500949.00-05 5-Gallon Pail

- Quick Dry - 3 to 4 hours to recoat
- Easy to apply
- No waste
- Formulated for reduced yellowing

For Use Under

- Glitsa Poly 500
- Any Glitsa Waterborne finish

SYSTEMS

1 coat Glitsa Poly Quick Dry Sealer + 2 to 3 coats Glitsa Poly 500 finish

1 coat Glitsa Poly Quick Dry Sealer + 2 to 3 coats of any Glitsa waterborne finish for hybrid system

TOPCOAT



Glitsa Poly 500™

Packaging:	Quart, Gallon, 5-Gallon Pail
VOC:	Max 550 grams per liter
Coverage Rate:	500 - 600 sq ft per gallon
Dry Time:	4 hours to touch 8 hours to recoat
Color:	Amber
Application Method:	Brush, T-Bar, Roller, Pad
Product Code:	500950.GL Gloss (>85) 500950.SG Semi-Gloss (42-53) 500950.ST Satin (27-33) 500950.MT Matte (8-12)

- MFMA approved
- Even consistent sheen
- Exceptional flow and level
- Easy to apply
- Formulated for reduced yellowing
- Just the right amount of body - heavy enough to roll, thin enough not to drag
- Cures in 7-10 days

For Use Over

- Glitsa Poly Quick Dry Sealer - Glitsa Poly 500

SYSTEMS

3 coats Glitsa Poly 500

1 coat Glitsa Poly Quick Dry Sealer + 2 to 3 coats Glitsa Poly 500 finish

1 coat Bacca Sealer +
2 coats Glitsa Poly 500 finish



Glitsa Wood Flour Cement

Packaging:	Gallon, 5-Gallon Pail	
Product Code:	340197.00-01	Gallon
	340197.00-05	5-Gallon Pail

Wood Flour Cement is designed to be mixed with fine edger dust to make crack filler to match the color of the floor being filled.

- Always use fine edger dust (100 grit or finer)
- Ages the same as the floor
- Accepts stain the same as the floor
- Trowel on the floor
- Never add thinner





Glitsa Clean™ Wood Floor Cleaner

Packaging:	Quarts, Gallon	
Product Code:	GA 3504	Ready-to-Use, Quart
	GA 3502	Concentrate, Quart
	GA 3503	Concentrate, Gallon

- Ready-to-Use and Concentrate formulas
- Water based
- Neutral pH
- Leaves no residue
- Biodegradable
- Contains no phosphates
- No rinsing required
- Recyclable container
- Pleasant fragrance



Glitsa Maintenance Mop

Packaging:	Case of 6 Mops	
Product Code:	GA 5100	Maintenance Mop, case
	GA 5104	Mop Pad Refill, Wet & Dry, case
	GA 5212	Mop Pad Refill, Wet, case
	GA 5219	Mop Pad Refill, Dry, case

- Durable, lightweight aluminum pole that stays locked and in place
- Swivel action mophead
- Includes 2 mop pads: 1 for dust mopping, 1 for damp mopping
- Washable, reusable pads
- For use on hardwood, tile and vinyl floors



Glitsa Floor Care Kit

Packaging:	Kit
Product Code:	GA 5107

- Ready-to-Use Glitsa Clean quart
- Maintenance Mop
- Microfiber pad for dust mopping
- Microfiber pad for damp mopping



Glitsa Professional Tack Mop

Packaging:	Case of 6 Mops	
Product Code:	GA 5005	Professional Tack Mop
	GA 5006	Tack Mop Pad Refill, Wet, case
	GA 5007	Tack Mop Pad Refill, Dry, case

- Designed for industrial tacking
- Heavy-duty stainless steel pole
- Manual locks keep telescopic pole in place
- Good swivel action
- Angled mophead picks up dust and debris, minimizing particles in coating
- Includes 2 microfiber pads: 1 for dry tacking, 1 for wet tacking with water, alcohol or lacquer thinner
- Vacuum or wash pads in plain water for reuse



Glitsa Brush

Packaging:	Case of 6 Brushes	
Product Code:	GA 5002	12" Natural Bristle Finish Brush

- Designed for application of conversion varnishes
- Longer bristles for better flow control and roll over
- Tapered bristles for better feathering and minimum brush strokes
- Holds more finish
- Wide handles provides more control



3M Respirators & Cartridges

Packaging:	Each	
Product Code:	MM 06211	Respirator, Medium
	MM 06311	Respirator, Large
	MM 06001	Organic Vapor Cartridge
	MM 06005	Formaldehyde Cartridge

1.800.444.7833 • www.glitsa.com

Conversion Varnish

Waterborne

Oil Modified Urethane

Filler

Maintenance

Tools & Accessories

VOC Regulations

Photo courtesy of Kimminau Wood Floors



Glitsa product line VOC compliance

2021

PRODUCT NAME	VOC g/L	CATEGORY	VOC COMPLIANCE									
			EPA	OTC	CA	SCAQMD	IN	IL	OH	UT	CO	CANADA
Bacca [®] Floor Sealer	<725	Conversion Varnish (725 limit)	Y	Y	Qt. only	N	Y	Y	Y	Y	Y	Y
Glitsa Sealer™	<725	Conversion Varnish (725 limit)	Y	Y	Qt. only	N	Y	Y	Y	Y	Y	Y
Gold Seal™	<725	Conversion Varnish (725 limit)	Y	Y	Qt. only	N	Y	Y	Y	Y	Y	Y
Gold Seal Lite Scent™	<725	Conversion Varnish (725 limit)	Y	Y	Qt. only	N	Y	Y	Y	Y	Y	Y
MultiKote™ Swedish Finish	<725	Conversion Varnish (725 limit)	Y	Y	Qt. only	N	Y	Y	Y	Y	Y	Y
Platinum™ Plus Finish	<725	Conversion Varnish (725 limit)	Y	Y	Qt. only	N	Y	Y	Y	Y	Y	Y
TruSeal™ Waterborne Sealer	<275	Varnish/Wood Coating (275 to 450 limit)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Infinity™ NxG Waterborne Finish	<275	Varnish/Wood Coating (275 to 450 limit)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Elite 1k™ Waterborne Finish	<275	Varnish/Wood Coating (275 to 450 limit)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
GlitsaMax 2™ Waterborne Finish	<275	Varnish/Wood Coating (275 to 450 limit)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Glitsa Bare™ Finish	<275	Varnish/Wood Coating (275 to 450 limit)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Glitsa Poly Quick Dry™ Sealer	<550	Varnish/Wood Coating (275 to 450 limit)	*Y	**Qt. only	Qt. only	N	Qt. only	Qt. only	Qt. only	Qt. only	Qt. only	Qt. only
Glitsa Poly 500™ Series	<550	Varnish/Wood Coating (275 to 450 limit)	*Y	**Qt. only	Qt. only	N	Qt. only	Qt. only	Qt. only	Qt. only	Qt. only	Qt. only
*Glitsa Poly 500 Series line comply with the Federal EPA's AIM Rule by use of the Exceedance Fee option.												
**Glitsa Poly 500 Series line are available in quarts in the OTC area and in Northern Virginia, Richmond and Fredricksburg Emissions Control Areas - the rest of VA complies with the Federal AIM Rule.												

Earning the trust of the customer is the most valuable aspect of our business. We pride ourselves on our reputation for using the highest quality products and holding ourselves to the highest of standards. That's why we use Glitsa. Their reputation for excellence is well known and the customer is always happy with the result. – Chris Franklin, Functional Floors



NEVER COMPROMISE

Our products are engineered to showcase the beauty of all wood floors. Our years of experience developing Swedish finishes shows throughout all our product lines. Choose Glitsa and your customers will always choose you.

Find a Glitsa distributor near you at www.glitsa.com

nwfa
National Wood
Flooring Association
MEMBER



1141 NW 50th Street • Seattle, Washington 98107-5120 • Tel: 206-789-1000 • 800.444.7833 • Fax: 206.789.1001

www.glitsa.com

